## B. AMENDMENTS TO THE CLAIMS

 (Previously Presented) A memory shared by a plurality of heterogeneous processors, comprising:

the shared memory;

wherein the shared memory is accessible by one or more first processors that are adapted to process a first instruction set:

wherein the shared memory is accessible by one or more second processors that are adapted to process a second instruction set; and

a memory map corresponding to the shared memory, wherein the memory map includes cross-references between virtual addresses and real addresses, the memory map and the crossreferences shared between the first processors and the second processors.

- 2. (Canceled)
- (Previously Presented) The shared memory as described in claim 1 further comprising;
  - an operating system that operates on one of the first processors, the first processor controlling the memory map.
- 4. (Original) The shared memory as described in claim 1 wherein each second processor further comprises:
  - a synergistic processing unit;
  - a local storage; and
  - a memory management unit, the memory management unit including a direct memory access controller.

- (Original) The shared memory as described in claim 4 wherein at least one of the second processors use the direct memory access controller to access the shared memory.
- (Original) The shared memory as described in claim 4
  wherein the local storage is divided into a private storage
  and a non-private storage.
- (Original) The shared memory as described in claim 6
  wherein the non-private storage is included in the shared
  memory.
- 8. (Previously Presented) The shared memory as described in claim 1 wherein the memory map includes a plurality of regions, wherein at least one of the regions is selected from the group consisting of an external system memory region, a local storage aliases region, a TLB region, an MFC region, an operating system region, and an I/O devices region.
- 9. (Canceled)
- 10. (Canceled)
- 11. (Previously Presented) A method for sharing a memory between a plurality of heterogeneous processors, said method comprising:

receiving a memory request;

allocating a first memory partition on the shared memory that corresponds to the memory request, the first memory partition accessible by one or more first processors that are adapted to process a first instruction set;

assigning a second memory partition on the shared memory to one or more second processors that are adapted to process a second instruction set, wherein the first processors and the second processors are heterogeneous;

managing the first memory partition and the second memory partition using a common memory map;

wherein the common memory map includes a plurality of regions, wherein at least one of the regions is selected from the group consisting of an external system memory region, a local storage aliases region, a TLB region, an MFC region, an operating system region, and an I/O devices region; and

wherein the TLB region includes cross-references between virtual addresses and real addresses, the common memory map and the cross-references shared between the first processors and the second processors.

## 12. (Canceled)

13. (Previously Presented) The method as described in claim 11 wherein one of the first processors includes an operating system whereby the first processor controls the common memory map.

## 14. (Canceled)

15. (Original) The method as described in claim 11 wherein at least one of the first processors is a Power PC and wherein at least one of the second processors is included in a synergistic processing unit.

- 16. (Original) The method as described in claim 15 wherein the shared memory corresponds to the synergistic processing unit.
- 17. (Original) The method as described in claim 11 wherein at least one of the second processors uses a direct memory access controller for accessing the shared memory.
- 18. (Currently Amended) A computer program product stored on a computer operable media, the computer operable media containing instructions for execution by a computer, which, when executed by the computer, cause the computer to implement a method for sharing a memory between a plurality of heterogeneous processors, the method comprising: for charing a memory between a plurality of heterogeneous processors, said computer program product comprising:

means for allocating a first memory partition on the shared memory that corresponds to the memory request, the first memory partition accessible by one or more first processors that are adapted to process a first instruction set;

means for assigning a second memory partition on the shared memory to one or more second processors that are adapted to process a second instruction set, wherein the first processors and the second processors are heterogeneous;

means for managing the first memory partition and the second memory partition using a common memory map that includes a plurality of regions, wherein at least one of the regions is selected from the group consisting of an external system memory region, a local storage aliases region, a TLB region, an MFC region, an operating system region, and an I/O devices region; and

wherein the TLB region includes cross-references between virtual addresses and real addresses, the common memory map and the cross-references shared between the first processors and the second processors.

- 19. (Canceled)
- 20. (Previously Presented) The computer program product as described in claim 18 wherein one of the first processors includes an operating system whereby the first processor controls the common memory map.
- 21. (Canceled)
- 22. (Original) The computer program product as described in claim 18 wherein at least one of the first processors is a Power PC and wherein at least one of the second processors is included in a synergistic processing unit.
- 23. (Original) The computer program product as described in claim 22 wherein the shared memory corresponds to the synergistic processing unit.
- 24. (Original) The computer program product as described in claim 18 wherein at least one of the second processors uses a direct memory access controller for accessing the shared memory.
- 25. (Previously Presented) A memory shared by a plurality of heterogeneous processors, comprising:
  - the memory, wherein the memory includes one or more nonprivate storage areas, the non-private storage areas

included in one or more second processors that are adapted to process a second instruction set and access the memory; wherein the shared memory is accessible by one or more first processors that are adapted to process a first instruction set and access the memory; and

a memory map corresponding to the shared memory, wherein the memory map includes cross-references between virtual addresses and real addresses, the memory map and the cross-references shared between the first processors and the second processors.

- 26. (Original) The shared memory as described in claim 25 wherein each second processor further comprises: synergistic processing logic which uses private storage, the private storage not included in the shared memory; and memory management logic for directly accessing the shared memory.
- 27. (Original) The shared memory as described in claim 25 further comprising:
  - memory mapping logic that corresponds to the shared memory, wherein the memory mapping logic is shared between the first processors and the second processors.
- 28. (Original) The shared memory as described in claim 27 further comprising:
  - an operating system that operates on one of the first processors, the first processor controlling the memory mapping logic.

- 29. (Original) The shared memory as described in claim 25 wherein one of the first processors configures each of the non-private storage areas.
- 30. (Previously Added) The shared memory as described in claim 1 further comprising:

wherein the shared memory, the first processors, and the second processors are included on one silicon substrate and are connected using an on chip coherent multi-processor bus.